

SPIDER CRANE
MC305C-2


TECHNICAL DATA

Imperial(US)

Specifications

Crane Capacity	6,560lb x 8.0'
Max. Working Radius	39.8' x 570lb
Max.Lifting Height	41.0'
Max. Reach Below Ground	-52.79' (4 parts of line)
Outrigger Max.Extended Width	(Lateral) 17'0"x (Front) 15'10" x (Rear) 15'6"
Travel Speed	0-1.7mph
Travel Ground Pressure (MC305CRM-2)	5.40PSI
Travel Ground Pressure (MC305CRME-2)	5.59PSI
Engine	YANMAR 3TNV80F / Diesel
Engine Rated Output	20.38hp (15.2kw)/2,500rpm
Electric Motor	5.5kw, 4P 208-230V
Dimensions	14'1" (L) x 4'3" (W) x 5'7" (H)
Machine Weight	8,800lb (9,040lb with electric motor)

Dimensions




SPIDER CRANE
MC305C-2

TECHNICAL DATA


Imperial(US)

Working Range Chart


Outriggers Position : Max




Outriggers Position : Mid



Outriggers Position : Min



Max. Below Grade



SPIDER CRANE
MC305C-2


TECHNICAL DATA

Imperial(US)


Working Range Chart

1,870lb Searcher Hook

1,870lb Searcher Hook Offset Position : SH1
(Outriggers Position : Max)



1,870lb Searcher Hook Offset Position : SH2
(Outriggers Position : Max)



1,870lb Searcher Hook Offset Position : SH3
(Outriggers Position : Max)

